

BULLETIN OF  
THE BRITISH MUSEUM  
(NATURAL HISTORY)

---

ZOOLOGY

VOL. 8

1961—1962

U. of ILL. LIBRARY

JUL 20 1972

CHICAGO CIRCLE

PRINTED BY ORDER OF THE TRUSTEES OF  
THE BRITISH MUSEUM (NATURAL HISTORY)

LONDON: 1963

# DATES OF PUBLICATION OF THE PARTS

No. 1 . . . . .	28 November 1961
No. 2 . . . . .	15 December 1961
No. 3 . . . . .	19 December 1961
No. 4 . . . . .	12 January 1962
No. 5 . . . . .	6 March 1962
No. 6 . . . . .	6 March 1962
No. 7 . . . . .	24 July 1962
No. 8 . . . . .	24 July 1962
No. 9 . . . . .	3 August 1962
No. 10 . . . . .	30 November 1962

PRINTED IN  
GREAT BRITAIN  
BY  
THOMAS DE LA RUE  
AND COMPANY LIMITED  
LONDON

# CONTENTS

## ZOOLOGY VOLUME 8

	PAGE
No. 1. Mites associated with rodents in Israel. By MICHAEL COSTA	I
No. 2. Observations on the heart in the family Trionychidae. By SABET GIRGIS	71
No. 3. Chilean species of the genus <i>Eupsophus</i> (Anura : Leptodactylidae). By ALICE G. C. GRANDISON (Pls. 1-7)	109
No. 4. A revision of certain <i>Barbus</i> species (Pisces, Cyprinidae) from East, Central and South Africa. By P. H. GREENWOOD	151
No. 5. Marine nematodes from Banyuls-sur-Mer with a review of the genus <i>Eurystomina</i> . By WILLIAM G. INGLIS	209
No. 6. On a collection of freshwater gastropod molluscs from the Ethiopian highlands. By C. A. WRIGHT and D. S. BROWN (Pls. 8-9)	285
No. 7. A study of the rare birds of Africa. By B. P. HALL and R. E. MOREAU	313
No. 8. Hydroids of the family Cytaeidae L. Agassiz, 1862. By WILLIAM J. REES (Pls. 10-11)	379
No. 9. The distribution of the coral, <i>Caryophyllia smithii</i> and the barnacle <i>Pyrgoma anglicum</i> in British waters. By WILLIAM J. REES (Pl. 12)	401
No. 10. The identification of cephalopod "beaks" and the relationship between beak size and total body weight. By MALCOLM R. CLARKE (Pls. 13-22)	419
Errata	483
Index to Volume 8	485



Bull. B.M. (Nat. Hist.) Zool. 8, No. 7 : 1962

A Study of the Rare Birds of Africa

ERRATA

Page 357.

Under " Classification by Area and Ecological Association "

In " Group A. Species which do not occupy an area of more than 100 sq. miles " for "*Bradypterus grandis*" substitute "*Bradypterus graueri*".

In " Area occupied 100-500 sq. miles " after "*Tauraco bannermani* MF", insert "*Bubo vosseleri* MF or F, *Campethera tullbergi* MF".

After paragraph " Area occupied 100-500 sq. miles " insert fresh paragraph:—

" Area occupied 500-2,500 sq. miles : *Francolinus harwoodi*, *F. jacksoni* MF, *Pseudocalyptomena graueri* MF, *Anthus sokokensis* F, *Macronyx sharpei* M, *Melaenornis ardesiaca* MF, *Turdus ludoviciae* MF, *Alethe lowei* MF, *Prinia leontica* M, *Cryptospiza shelleyi* MF, *Estrilda nigriloris*, *Carduelis johannis* M."





## INDEX TO VOLUME 8

The page numbers of the principal references and the new taxonomic names are printed in **bold type**.

Abraliopsis . . . . .	442, 450-451	bannermani, Ploceus . . . . .	351
abyssalis, Eurystomina . . . . .	242	bannermani, Tauraco . . . . .	322
abyssicola, Perarella . . . . .	396-397	<b>banylensis, Prooncholaimus</b> . . . . .	229-232
acomydus, Laelaps . . . . .	30-32, 68	Barbus . . . . .	153-208
aegyptius, Allodermanyssus . . . . .	58-61, 68	<b>barka, Paracanthonychus</b> . . . . .	271-272
affinis, Perarella . . . . .	397	batesi, Ploceus . . . . .	351-352
africana, Euchromadora . . . . .	264	Beirabarus . . . . .	193-201
agilis, Laelaps . . . . .	32-37, 68	bilineata, Eurystomina . . . . .	243
albinucha, Columba . . . . .	321-322	binotatus, Caprimulgus . . . . .	323
Alethe . . . . .	335-336	Biomphalaria . . . . .	294-299, Pl. 9; 307
algericus, Laelaps . . . . .	37-40, 68	Bradypterus . . . . .	338-339
alius, Malaconotus . . . . .	347	Bubo . . . . .	323
Allodermanyssus . . . . .	58-64, 68	bulbiferum, Sphaerocephalum . . . . .	277
altianalis, Barbus . . . . .	207	Bulinus . . . . .	288-294, Pl. 8; 306, 307
americana, Eurystomina . . . . .	238-239, 241, 242, 244		
amphigramma, Barbus . . . . .	165-168, 207	Calandrella . . . . .	327-328
Amyda . . . . .	77	californica, Eurystomina . . . . .	244
<i>see also</i> Trionyx . . . . .		Calliteuthis . . . . .	440, 449, Pl. 15
Ancylidae . . . . .	306	<b>caluri, Haemolaelaps androgynus</b> . . . . .	9-12, 68
androgynus, Haemolaelaps . . . . .	6-12, 68	cameronensis, Geokichla . . . . .	334
Androlaelaps . . . . .	45-47, 68	cameronensis, Francolinus . . . . .	319-320
anglicum, Pyrgoma . . . . .	403-411-415	Campethra . . . . .	325-326
angolae, Hypodontolaimus . . . . .	215	Caprimulgus . . . . .	323
anema, Barbus . . . . .	202	Carduelis . . . . .	355-356
Anisus . . . . .	299, 300-303, Pl. 9	caroli, Sthenoteuthis . . . . .	433-437, 438, 441, 447, 472, Pl. 13
Anthreptes . . . . .	350-351	Caryophyllia . . . . .	403-415
Anthus . . . . .	328	castaneiceps, Ploceus . . . . .	352
Apalis . . . . .	339-341	centrocarpus, Haemolaelaps . . . . .	27-29, 68
apleurogramma, Barbus . . . . .	154-157, 208	cercops, Barbus . . . . .	202-203, 208
Apus . . . . .	324	<b>chabaudi, Sphaerocephalum</b> . . . . .	273
archaica, Euchromadora . . . . .	215	Chalcomitra . . . . .	350
Architeuthidae . . . . .	439-441, 442, 449-450, 464, 471, 477, 478, Pl. 16	chaplani, Lybius . . . . .	324-325
arcuatus, Hirstionyssus . . . . .	52-54, 68	<b>chilensis, Eurystomina</b> . . . . .	238-239, 244
ardesiaca, Melaenornis . . . . .	332	Chiroteuthidae . . . . .	439, 440, 443-444, 453-454, 467, 471, 477, 478, Pl. 18
Argonautidae . . . . .	446, 458-459, 470, 478, Pl. 22	Chiroteuthis . . . . .	443, 453-454
aspilus, Barbus . . . . .	202	Chitra . . . . .	79
assimilis, Eurystomina . . . . .	237-238, 241, 243, 245, 246	<b>chitwoodi, Eurystomina</b> . . . . .	238-239, 244
atroflavus, Laniarius . . . . .	346	Chloropeta . . . . .	345
aurantiacus, Barbus . . . . .	199-201	choloensis, Alethe . . . . .	336
aureonucha, Ploceus . . . . .	352	Chromadorina . . . . .	257-260
		cinderella, Estrilda . . . . .	354
		Cinnrycinclus . . . . .	348-349
		Cinnryis . . . . .	349-350
bacoti, Ornithonyssus . . . . .	64-66, 68	clavata, Perarella . . . . .	394-395, 396
bamandae, Apalis . . . . .	339-340	coindetii, Illex . . . . .	436, 438, 477

- colesi, Hypodontolaimus** . . . . . 266-271  
 Columba . . . . . 321-322  
 coppingeri, Eupsophus . . . . . 113-121  
 Cossypha . . . . . 334-335  
 costulatus, Gyraulis . . . . . 299-300, Pl. 9  
 Cranchiidae . . . . . 439, 440, 444, 454-455,  
 466, 471, 478, Pl. 19  
 craticulatus, Hirstionyssus . . . . . 54-56, 68  
 Cryptospiza . . . . . 353-354  
 Cuciotethis . . . . . 443, 450, 451-452, Pl. 17  
 Cyanomitra . . . . . 350  
 Cyatholaimidae . . . . . 215  
 Cyclanorbis . . . . . 76, 79, 95-105  
 Cycloderma . . . . . 77  
 Cystignathus . . . . . 111-148  
 Cytaeidae . . . . . 381-400  
 Cytaeis . . . . . 382-393, 399, Pl. 10, 11
- demani, Chromadorina** . . . . . 257-260  
 Desmodoridae . . . . . 215  
 Dogania . . . . . 77  
 doggetti, Barbus . . . . . 196-199, 208  
 Dorylaimidae . . . . . 214  
 Dosidicus . . . . . 439, Pl. 13  
 dujardini, Oncholaimus . . . . . 226-229
- eblanae, Todoropsis . . . . . 438, 441, 472  
 ekstremi, Laelaps . . . . . 40-42, 68  
 Eledone . . . . . 445-446, Pl. 22  
 ellobii, Hirstionyssus . . . . . 56-58, 68  
 Enchelidiidae . . . . . 214  
 Enoplidae . . . . . 214  
 Enoploidea . . . . . 213-215, 217  
 Enoplotheutidae . . . . . 442, 450-451, 465,  
 477, 478, Pl. 18  
 Enoplotheutis . . . . . 442, 450-451, Pl. 18  
 Enoplus . . . . . 214, 219-224  
 epichlora, Urolais . . . . . 341-342  
 Estrilda . . . . . 354  
 Euchromadora . . . . . 215, 216, 260-266  
 Eulaelaps . . . . . 48-49, 68  
 Eupodotis . . . . . 321  
 Eupsophus . . . . . 111-148  
 eurylaima, Eurystomina . . . . . 238-239, 244  
 Eurystomina . . . . . 234-242-254  
 eutaenia, Barbus . . . . . 175-178  
 Euzygaena . . . . . 444, 455
- femoralis, Cinnycinculus . . . . . 348-349  
 fenestrella, Eurystomina . . . . . 238-239, 241, 245  
 filicaudata, Eurystomina . . . . . 241, 245  
 filicollis, Eurystomina . . . . . 245  
 filiformis, Eurystomina . . . . . 238-239, 245  
 filispicula, Eurystomina . . . . . 241, 246  
**filispicula, Gerlachystomina** . . . . . 241, 255  
 flavipes, Ploceus . . . . . 353  
 Francolinus . . . . . 319-321  
 fringillaris, Calandrella . . . . . 327-328
- frøyense, Eurystomina . . . . . 246  
 fuliginosa, Psalidoprocne . . . . . 345-346
- gabela, Prionops . . . . . 346  
 gabela, Sheppardia . . . . . 335  
**gaulica, Euchromadora** . . . . . 260-264  
 Geokichla . . . . . 334  
**gerlachi, Eurystomina** . . . . . 238-239, 241, 246  
**Gerlachystomina** . . . . . 254-255  
 gigas, Dosidicus . . . . . 438, Pl. 13  
 gilberti, Liophtilus . . . . . 330  
 gladiator, Malaconotus . . . . . 347  
 glasgowi, Haemolaelaps . . . . . 12-14, 68  
 golandi, Ploceus . . . . . 352  
 Gonatidae . . . . . 439, 440, 443, 452-453,  
 466, 471, 478, Pl. 14
- gracilirostris, Macrospheus . . . . . 345  
 grandis, Brandypterus . . . . . 338  
 graueri, Pseudocalyptomena . . . . . 326  
 Graueria . . . . . 343-344  
 Gyraulis . . . . . 299-300, Pl. 9
- Haemogamasus . . . . . 49-52, 68  
 Haemolaelaps . . . . . 5-29, 68  
 harwoodi, Francolinus . . . . . 319  
 heinrichi, Cossypha . . . . . 335  
 Helicocranchia . . . . . 444, 455  
 helleri, Turdus . . . . . 333-334  
 herberti, Seicercus . . . . . 338  
 herero, Swynnertoni . . . . . 337-338  
 hidalgoi, Cystignathus . . . . . 147-148  
 hindei, Turdoides . . . . . 329  
 hirsti, Haemolaelaps . . . . . 14-16, 68  
**hirstionyssoides, Haemolaelaps** . . . . . 16-19, 68  
 Hirstionyssus . . . . . 52-58, 68  
 hirsutum, Sphaerocephalum . . . . . 277-278  
 Hirundo . . . . . 345  
 Histioteuthidae . . . . . 439-441, 448-449, 463,  
 471, 477, 478, Pl. 15  
 Histioteuthis . . . . . 440, 449, Pl. 15  
 horridus, Haemogamasus . . . . . 49-52, 68  
 humilis, Eupodotis . . . . . 321  
 Hyaloteuthis . . . . . 438  
 Hypodontolaimus . . . . . 215, 266-271
- ibadanensis, Malimbus . . . . . 353  
 illecebrosus, Illex . . . . . 438, 441, 472, Pl. 13  
 Illex . . . . . 436, 438, 441, 472, Pl. 13  
 indica, Cytaeis . . . . . 392-393  
 Indicator . . . . . 325  
 insculptus, Haemolaelaps . . . . . 19-20, 68  
 Ironidae . . . . . 214  
 isabellae, Cossypha . . . . . 334  
 itombwensis, Muscicapa . . . . . 332



- jacksonii, Barbus . . . . . **183**–185, 207  
 jacksoni, Francolinus . . . . . **320**–321  
 jae, Barbus . . . . . . . . . . 202  
 johannis, Carduelis . . . . . **355**–356
- kaboboensis, Apalis . . . . . **340**  
 karamojae, Apalis . . . . . **340**  
 kartanum, Paracanthochus . . . . . 272  
 kerstenii, Barbus . . . . . **168**–173, 207  
 kupeensis, Telophorus . . . . . **346**–347
- Laelaps . . . . . **29**–45, 68  
 laeta, Chromadorina . . . . . 259–260  
 Lagonosticta . . . . . 354–355  
 Lanarius . . . . . 346  
 laticeps, Barbus . . . . . **189**–190  
 laticincta, Platysteira . . . . . **333**  
 lendu, Muscicapa . . . . . **332**  
 leonensis, Barbus . . . . . 202  
 leontica, Prinia . . . . . **343**  
 Lepidoteuthis . . . . . 444, 451, 453–454, Pl. 18  
 Leptosomatidae . . . . . 214, 220–222  
 leucoptera, Polioptila . . . . . **355**  
 linstowi, Eurystomina . . . . . 241, **247**  
 Lioptilus . . . . . 329–330  
 Lissemys . . . . . 77  
 lithothamni, Eurystomina . . . . . **247**  
 littoralis, Eurystomina . . . . . 247  
 Loliginidae . . . . . 444–445, 455–456, 468, 471, 478  
 Loligo . . . . . 444–445, 456, Pl. 20  
 longicaudatum, Sphaerocephalum . . . . . 277  
 longipes, Haemolaelaps . . . . . **21**–23, 68  
**longispinosus, Laelaps agilis** . . . . . **32**–37, 68  
 lopesi, Poliolais . . . . . **342**–343  
 loveridgei, Cinnerys . . . . . **349**–350  
 loveridgei, Barbus . . . . . **182**–183  
 lowei, Alethe . . . . . **335**–336  
 ludoviciae, Turdus . . . . . **333**  
 Lybius . . . . . 324–325  
 Lymnaea . . . . . **303**–306, Pl. 8
- Macronyx . . . . . **328**–329  
 Macrosphenus . . . . . 344  
 magdalenae, Barbus . . . . . **190**–192, 208  
 Malacotus . . . . . 347  
 Malimbus . . . . . 353  
 marshalli, Androlaelaps . . . . . **45**–47, 68  
 marsupialis, Haemolaelaps . . . . . 5  
 Mastigoteuthis . . . . . 443, 453, Pl. 18  
 megaensis, Hirundo . . . . . **345**  
 Melaenornis . . . . . 332  
 Mesonychoteuthis . . . . . 444, 454–455, Pl. 19  
 metopias, Orthotomus . . . . . **342**–343  
 minutisculae, Eurystomina . . . . . 238–239, 241, 242, **247**–248  
 mirabilis, Eurystomina . . . . . 241, **248**  
 Mirafr . . . . . 326–327
- montana, Alethe . . . . . **336**  
 montanus, Pycnonotus . . . . . **331**  
 moreau, Apalis . . . . . **340**–341  
 moreau, Cinnerys . . . . . **349**  
 Moroteuthis . . . . . 437–439, 448, 478, Pl. 14  
 Muscicapa . . . . . 332  
 mweruensis, Lymnaea . . . . . 305, 307, Pl. 8
- Namibornis . . . . . 337–338  
 nassa, Cytaeis . . . . . **390**–392, 399, Pl. 11  
 natalensis, Anisus . . . . . 299, **300**–303, Pl. 9  
 natalensis, Lymnaea . . . . . 304, **305**–306, Pl. 8  
 Nesocharis . . . . . 355  
 neumayeri, Barbus . . . . . **178**–181, 208  
 nigriloris, Estrilda . . . . . **354**  
 nigrimentum, Ploceus . . . . . 352  
 niolha, Cytaeis . . . . . **392**, 399  
 nitedulae, Ornithonyssus . . . . . **66**–67, 68  
 nodosus, Eupophus . . . . . **121**–128  
 norvegica, Eurystomina . . . . . 241, 248  
**nuda, Cytaeis** . . . . . **387**–390, 399, Pl. 10  
 nyanzae, Barbus . . . . . 208
- obbiensis, Calandrella . . . . . **328**  
 oberlaenderi, Geokichla . . . . . **334**  
 obtusa, Chromadorina . . . . . 259–260  
 ochropectus, Francolinus . . . . . **321**  
 Octopodidae . . . . . 445–446, 457–458, 470, 478  
 Octopodoteuthidae . . . . . 439, 440, **443**, 451–452, 465, 471, 477, 478, Pl. 17  
 Octopus . . . . . 445–446, 458  
 Ommastrephes . . . . . 438  
 Ommastrephidae . . . . . 433–437, 446–447, 460–461, 478, Pl. 13  
 Oncholaimidae . . . . . 214  
 Oncholaimus . . . . . **226**–229  
 Onychoteuthidae . . . . . 437–439, 447–448, 462, 471, 478, Pl. 14  
 opthalmophora, Eurystomina . . . . . 238–239, 241, **248**–249  
 oreas, Picathartes . . . . . **330**  
 oritis, Cyanomitra . . . . . **350**  
 ornata, Eurystomina . . . . . 238, 239, 248, **249**–250  
 Ornithonyssus . . . . . **64**–67, 68  
 orostruthus, Phyllastrephus . . . . . **330**–331  
 Orthotomis . . . . . 342–343  
 oualaniensis, Symplectoteuthis . . . . . 438  
**ovalis, Haemolaelaps** . . . . . **24**–26, 68
- pachypus, Laelaps . . . . . **43**–45, 68  
 pallidigaster, Anthreptes . . . . . 350  
 paludinosus, Barbus . . . . . **160**–165, 207  
 Paracanthochus . . . . . **271**–272  
 parafilipjevi, Phanoderma . . . . . 214, 223, **224**–227  
 Pareledone . . . . . 445–446  
 paralittorale, Eurystomina . . . . . **250**  
 pelagicus, Hyaloteuthis . . . . . 438  
 pellegrini, Barbus . . . . . **181**–182

- Pelochelys . . . . . 77  
 Perarella . . . . . **393**  
 permutabilis, *Euchromadora* . . . . . 264  
**pettiti, Eurystomina** . . . . . **234-237, 238-239**  
 Phanoderma . . . . . 214, 223, **224-227**  
 Phanodermatidae . . . . . 214  
 Phasmatopsis . . . . . 444, 454-455, Pl. 19  
 Phodilus . . . . . 322-323  
 Phyllastrephus . . . . . 330-331  
 Picathartes . . . . . 330  
 Platysteira . . . . . 333  
 Ploceus . . . . . 351-353  
 poensis, *Phyllastrephus* . . . . . **331**  
 Pogonocichla . . . . . 337  
 poliocephalus, *Phyllastrephus* . . . . . **331**  
 Poliolaia . . . . . 342-343  
 Poliospiza . . . . . 355  
 priginiei, *Phodilus* . . . . . **322-323**  
 Prinia . . . . . 343  
 Prionops . . . . . 346  
 Proncholaemus . . . . . **229-232**  
 propinqua, *Eurystomina* . . . . . **250-251**  
 Psalidoprocne . . . . . 345  
 Pseudocalyptomena . . . . . 326  
 pseudognathodon, *Barbus* . . . . . 202  
 pteropus, *Sthenoteuthis* . . . . . 437, 438  
 pujoli, *Anthreptes* . . . . . **351**  
 pulitzeri, *Macrosphenus* . . . . . **344**  
 pulpa, *Mirafr* . . . . . **326-327**  
 pumilio, *Indicator* . . . . . 325  
 pumilus, *Barbus* . . . . . 202  
 Pycnonotus . . . . . 331  
 Pyrgoma . . . . . 403-**411-415**  
 Pyroteuthis . . . . . 442, 450-451
- quadridentatus, *Enoplus* . . . . . 214, **219-224**
- repanda, *Eurystomina* . . . . . 238-239, **251**  
 retrocellata, *Eurystomina* . . . . . 244, 247-248, **251**  
 robertsi, *Prinia* . . . . . **343**  
 rockefelleri, *Cinnyris* . . . . . **349**  
 roseus, *Eupsophus* . . . . . **128-136**  
 Rossia . . . . . 445, Pl. 21  
 rubrifacies, *Lybius* . . . . . **324**  
 rubritorques, *Anthreptes* . . . . . **350-351**  
 rueppelli, *Biomphalaria* . . . . . **294-299, Pl. 9; 307**  
 rufocinctus, *Lioptilus* . . . . . **329**  
 ruspolii, *Tauraco* . . . . . **322**
- sagittatus, *Todarodes* . . . . . 433-436, 438, 447, 472, Pl. 13  
 sanguineus, *Allodermanyssus* . . . . . **61-64, 68**  
 sawyai, *Eurystomina* . . . . . 251  
**sawayai, Gerlachystomina** . . . . . **241, 255**  
 Scepomycer . . . . . 341  
 Schistosoma . . . . . 294, 307-308  
 schneideri, *Perarella* . . . . . **393-394**  
 Seicercus . . . . . 338
- Sepia . . . . . 445, Pl. 21  
 Sepiidae . . . . . 445, 456-457, 469, 471, 477, 478, Pl. 21  
 Sepiolidae . . . . . 445, 457, 468, 471, 478, Pl. 21  
 Sepioteuthis . . . . . 445, 456, Pl. 20  
 sericinus, *Bulinus* . . . . . **288-294, Pl. 8, 307**  
 serratus, *Paracanthochus* . . . . . 272  
 sexradiatus, *Barbus* . . . . . **188-189, 208**  
 sharpei, *Apalis* . . . . . **339**  
 sharpei, *Macronyx* . . . . . **328-329**  
 shelleyi, *Cryptospiza* . . . . . **353-354**  
 shelleyi, *Nesocharis* . . . . . **355**  
 Sheppardia . . . . . 335  
 sloanei, *Ommastrephes* . . . . . 438  
 smithii, *Caryophyllia* . . . . . **403-415**  
 sokekensis, *Anthus* . . . . . **328**  
**spalacis, Hirstionyssus ellobii** . . . . . **56-58, 68**  
 spectabilis, *Eurystomina* . . . . . 238-239, **251-252**  
 spekeoides, *Ploceus* . . . . . **353**  
 Sphaerocephalum . . . . . 273-**278**  
 Sphaerolaimus . . . . . 214-215  
 spissidentata, *Eurystomina* . . . . . 241, **252**  
 spongicola, *Perarella* . . . . . **395, 397**  
 stabularis, *Eulaelaps* . . . . . **48-49, 68**  
 stenolaima, *Eurystomina* . . . . . 238-239, 241, **252-253**  
 stenolaimoides, *Eurystomina* . . . . . **253**  
 Sthenoteuthis . . . . . 433-437, 438, 441, 447, 472, Pl. 13  
 stresemanni, *Zavattariornis* . . . . . 348  
 striata, *Euchromadora* . . . . . 264  
 Stylactella . . . . . **397-398**  
     *see also* *Perarella*  
 svenssoni, *Barbus* . . . . . 195, 202  
 swierstrai, *Francolinus* . . . . . **320**  
 swynnertoni, *Pogonocichla* . . . . . **337**  
 Symplectoteuthis . . . . . 438  
 Symplacostoma . . . . . **232-234**
- taeniatum, *Eupsophus* . . . . . **141-146**  
 taitensis, *Barbus* . . . . . **159-160**  
 tangandensis, *Barbus* . . . . . **173-175**  
 Taonius . . . . . 444, 454-455, Pl. 19  
 Tauraco . . . . . 322  
 Telophorus . . . . . 346-347  
 tenue, *Eurystomina* . . . . . 249-250, **251-252**  
 tenuicaudata, *Eurystomina* . . . . . 238-239, **253**  
 tenuicollis, *Symplacostoma* . . . . . **232-234**  
 tenuissima, *Eurystomina* . . . . . 253  
 terricola, *Eurystomina* . . . . . 248, **253-254**  
 terricolum, *Eurystomina* . . . . . 241, 248  
 thomensis, *Estrilda* . . . . . **354**  
 Thoonychus . . . . . 255  
 Thoracostoma . . . . . 214-215  
 Thysanoteuthidae . . . . . 439, 440, 443, 452, 464, 471, 477, 478, Pl. 16  
 Todarodes . . . . . 433-436, 438, 447, 472, Pl. 13  
 Todaropsis . . . . . 438, 441, 472  
 tokiokai, *Euchromadora* . . . . . 264  
 toulsoni, *Apus* . . . . . **324**

- |                                   |                                    |   |                          |
|-----------------------------------|------------------------------------|---|--------------------------|
| tricophora, Eurystomina . . . . . | 241, <b>254</b>                    | Vampyroteuthidae . . . . .              | 459                      |
| trichura, Eurystomina . . . . .   | <b>254</b>                         | Veles . . . . .                         | 323                      |
| trimaculatus, Barbus . . . . .    | <b>185</b> –187                    | vermicola, Stylactella . . . . .        | <b>398</b>               |
| Trionyx . . . . .                 | 75, 77, <b>79</b> –95, 100–105     | <b>vertebralis, Eupsophus</b> . . . . . | <b>136</b> –141          |
| trispilomimus, Barbus . . . . .   | 202                                | vinacea, Lagonosticta . . . . .         | <b>354</b> –355          |
| trunculata, Lymnaea . . . . .     | <b>303</b> –305, Pl. 8;<br>306–307 | vittata, Graueria . . . . .             | <b>343</b> –344          |
| tullbergi, Campethra . . . . .    | <b>325</b> –326                    | vosseleri, Bubo . . . . .               | <b>323</b>               |
| Turdoides . . . . .               | 329                                | vulgaris, Euchromadora . . . . .        | 215                      |
| Turdus . . . . .                  | 333–334                            | <b>wieseri, Eurystomina</b> . . . . .   | 238–239, 252, <b>254</b> |
| tyrrenica, Euchromadora . . . . . | <b>264</b> –266                    | williamsi, Mirafra . . . . .            | <b>326</b>               |
|                                   |                                    | winifredae, Scepomycter . . . . .       | <b>341</b>               |
| <b>uchidae, Cytaeis</b> . . . . . | <b>383</b> –387, 399, Pl. 10       | yongei, Barbus . . . . .                | 208                      |
| Urolais . . . . .                 | 341–342                            | zanzibaricus, Barbus . . . . .          | <b>157</b> –158          |
| ursulae, Chalcomitra . . . . .    | <b>350</b>                         | Zavattariornis . . . . .                | 348                      |
| usambarae, Barbus . . . . .       | <b>192</b> –196                    |   |                          |



